

# Delo® Bumper-to-Bumper Protection for On-Road Lift Gate Trucks



## King Pin & Fifth Wheel

Delo Grease ESI®  
Delo Heavy Duty  
Moly 3% EP



## Refrigeration Compressor Engine

- Delo 400 XSP SAE 5W-30
- Delo 400 XLE SAE 10W-30
- Delo 400 XSP SAE 5W-40
- Delo 400 SDE SAE 15W-40
- Delo 400 XLE SAE 15W-40



## Engine Crankcase

- Delo 400 XSP SAE 5W-30
- Delo 400 XSP SAE 5W-40
- Delo 400 XLE SAE 15W-40
- Delo 400 XLE SAE 10W-30
- Delo 400 SDE SAE 15W-40
- Delo 400 NG SAE 15W-40  
(For CNG/LNG Engines)



## Coolant System

Delo ELC Antifreeze/Coolant  
Delo XLC Antifreeze/Coolant

Available as ISOCLEAN® Certified

## Grease Points, Rods, Pins & Bearings

Delo Grease ESI  
Delo Grease EP  
Delo Starplex® EP



## Clutch Bearings

Delo Grease ESI  
Delo Grease EP  
Delo Starplex EP

## Transmissions (Manual & Automatic)

- Delo Syn-Trans XE SAE 75W-90 (AMT and Manual)
- Delo Syn-AMT XDT SAE 75W-90 (AMT)
- Delo Syn-Trans XV SAE 75W-80 (AMT)
- Delo Trans ESI SAE 40 (Manual)
- Delo Syn ATF HD
- Delo Syn-Trans HD SAE 50 (Manual)



## Differentials & Axles

- Delo Syn-Gear XDM SAE 75W-90
- Delo Gear ESI SAE 80W-90




## Wheel Bearings

Delo Syn-Grease™ SFE EP 0  
Delo Starplex EP



## Lift Gate (Hydraulics)

- Rando HDZ
- Rando HD



**Delo®**  
Let's go further.®



A Chevron company product

©2019 Chevron U.S.A. Inc. All rights reserved. All trademarks are property of Chevron Intellectual Property LLC or their respective owners.

DLBBPONRDTRKSH\_08-19

# Delo® Bumper-to-Bumper Protection for Waste Truck Service



## Engine Crankcase

- Delo 400 XSP SAE 5W-40
- Delo 400 XSP SAE 5W-30
- Delo 400 XLE SAE 15W-40
- Delo 400 XLE SAE 10W-30
- Delo 400 NG SAE 15W-40  
(For CNG/LNG Engines)



## Coolant System

- Delo ELC Antifreeze/Coolant
- Delo XLC Antifreeze/Coolant

## Clutch Bearings

- Delo Grease ESI® EP 2
- Delo Grease ESI HD EP
- Delo Grease EP
- Delo Starplex EP



## Transmissions (Manual & Automatic)

- Delo Syn-Trans XE SAE 50 (Manual)
- Delo Trans ESI SAE 40 (Manual)
- Delo Syn ATF HD
- Emgard 2805 (Allison TES-295)

## Grease Points, Rods, Pins & Bearings

- Delo Grease ESI EP 2
- Delo Grease ESI HD EP
- Delo Grease EP
- Delo Starplex EP



## Differentials & Axles

- Delo Syn-Gear XDM SAE 75W-90
- Delo Gear ESI SAE 80W-90
- Delo Syn-Gear HD SAE 75W-90



## Hydraulic System

- Clarity® Synthetic
- Rando® HDZ
- Clarity AW
- Rando HD

## Various Grease Points

- Delo Grease ESI EP 2
- Delo Grease ESI HD EP
- Delo Grease EP
- Delo Starplex® EP



••• Available as ISOCLEAN® Certified

The product recommendations provide general guidelines for use in waste trucks. All manufacturers have different coolant and lubricant requirements and recommendations. It will be important to contact a Chevron representative or refer to the Original Equipment Manufacturer manual to confirm the proper product is used for the application. Visit [chevron-gsc.force.com/lubeteksupport](http://chevron-gsc.force.com/lubeteksupport) for confirmation of specific OEM specifications.



# Delo®

Let's go further.®

A Chevron company product

©2019 Chevron U.S.A. Inc. All rights reserved. All trademarks are property of Chevron Intellectual Property LLC or their respective owners.

DLPTWSTST\_08-19

# Delo® Bumper-to-Bumper Protection for Dump Trucks



## Engine Crankcase

Delo 400 XSP SAE 5W-30

- Delo 400 XSP SAE 5W-40
- Delo 400 XLE SAE 15W-40
- Delo 400 XLE SAE 10W-30
- Delo 400 SDE SAE 15W-40
- Delo 400 NG SAE 15W-40  
(For CNG/LNG Engines)



## Coolant System

Delo ELC Antifreeze/Coolant  
Delo XLC Antifreeze/Coolant



## Clutch Bearings

Delo Grease ESI® EP 2  
Delo Grease ESI HD EP  
Delo Grease EP  
Delo Starplex® EP



## Transmissions (Manual & Automatic)

Delo Syn-Trans XE SAE 50 (Manual)  
Delo Trans ESI SAE 40 (Manual)  
••• Delo Syn ATF HD  
Chevron ATF HD 389



## Various Grease Points

Delo Grease ESI EP 2  
Delo Grease ESI HD EP  
Delo Grease EP  
Delo Starplex® EP



## Differentials & Axles

••• Delo Syn-Gear XDM SAE 75W-90  
Delo Gear ESI SAE 80W-90

## Hydraulic System

••• Clarity® Synthetic  
••• Rando® HDZ  
••• Clarity AW  
••• Rando HD

## Grease Points, Rods, Pins & Bearings

Delo Grease ESI EP  
Delo Grease ESI HD EP  
Delo Grease EP  
Delo Starplex EP



••• Available as ISOCLEAN® Certified

The product recommendations provide general guidelines for use in dump trucks. All manufacturers have different coolant and lubricant requirements and recommendations. It will be important to contact a Chevron representative or refer to the Original Equipment Manufacturer manual to confirm the proper product is used for the application. Visit [chevron-gsc.force.com/lubteksupport](http://chevron-gsc.force.com/lubteksupport) for confirmation of specific OEM specifications.



**Delo®**  
Let's go further.®

A Chevron company product

©2019 Chevron U.S.A. Inc. All rights reserved. All trademarks are property of Chevron Intellectual Property LLC or their respective owners.

DLBBPDUMPTRK\_08-19

# Delo® Bumper-to-Bumper Protection for Medium-Duty Trucks



## Engine Crankcase

- Delo 400 XSP SAE 5W-30
- ⚡ Delo 400 XSP SAE 5W-40
- ⚡ Delo 400 XLE SAE 15W-40
- ⚡ Delo 400 XLE SAE 10W-30
- ⚡ Delo 400 SDE SAE 15W-40
- Delo 400 NG SAE 15W-40  
(For CNG/LNG Engines)



## Coolant System

- Delo ELC Antifreeze/Coolant
- Delo XLC Antifreeze/Coolant

⚡ Available as ISOCLEAN® Certified

The product recommendations provide general guidelines for use in medium-duty trucks. All manufacturers have different coolant and lubricant requirements and recommendations. It will be important to contact a Chevron representative or refer to the Original Equipment Manufacturer manual to confirm the proper product is used for the application. Visit [chevron-gsc.force.com/lubeteksupport](http://chevron-gsc.force.com/lubeteksupport) for confirmation of specific OEM specifications.



## Grease Points, Rods, Pins & Bearings

- Delo Grease ESI® EP 2
- Delo Grease EP
- Delo Starplex® EP



## Lift Gate (Hydraulic)

- ⚡ Rando® HD
- ⚡ Rando HDZ

## Differentials & Axles

- ⚡ Delo Syn-Gear XDM SAE 75W-90
- Delo Gear ESI SAE 80W-90



## Transmission (Manual or Automatic)

- ⚡ Chevron Syn-ATF HD (Automatic)
- Chevron ATF HD 389 (Automatic)
- Delo Syn-Trans XE SAE 50 (Manual)
- Delo Trans ESI SAE 40 (Manual)



# Delo®

Let's go further.®

A Chevron company product

©2019 Chevron U.S.A. Inc. All rights reserved. All trademarks are property of Chevron Intellectual Property LLC or their respective owners.

DLBBPTRMSST\_08-19

# Delo® Bumper-to-Bumper Protection for On-Road Trailers with Lift Gate



## Coolant System

Delo ELC Antifreeze/Coolant  
Delo XLC Antifreeze/Coolant



## Lift Gate (Hydraulics)

••• Rando HDZ  
• Rando HD

## Refrigeration Compressor Engine

Delo 400 XSP SAE 5W-30  
••• Delo 400 XSP SAE 5W-40  
••• Delo 400 XLE SAE 15W-40  
••• Delo 400 XLE SAE 10W-30  
••• Delo 400 SDE SAE 15W-40  
Delo 400 NG SAE 15W-40  
(For CNG/LNG Engines)



## Wheel Bearings

Delo Syn-Grease™ SFE EP 0  
Delo Starplex® EP



## Trailer Stand

Delo Grease ESI® EP 2  
Delo Grease EP 2  
Delo Starplex EP

••• Available as ISOCLEAN® Certified

The product recommendations provide general guidelines for use in on-road trailers. All manufacturers have different coolant and lubricant requirements and recommendations. It will be important to contact a Chevron representative or refer to the Original Equipment Manufacturer manual to confirm the proper product is used for the application. Visit [chevron-gsc.force.com/lubeteksupport](http://chevron-gsc.force.com/lubeteksupport) for confirmation of specific OEM specifications.



# Delo®

Let's go further.®

A Chevron company product

©2019 Chevron U.S.A. Inc. All rights reserved. All trademarks are property of Chevron Intellectual Property LLC or their respective owners.

DLBBPONRDTRLSH\_08-19




# Delo® Bumper-to-Bumper Protection for Heavy-Duty Tow Trucks



## Engine Crankcase

- Delo 400 XSP SAE 5W-30
- Delo 400 XSP SAE 5W-40
- Delo 400 XLE SAE 15W-40
- Delo 400 XLE SAE 10W-30
- Delo 400 SDE SAE 15W-40



## Hydraulic System

- Clarity® Synthetic AW
- Rando® HDZ
- Clarity AW
- Rando HD



## Differentials & Axles

- Delo Syn-Gear XDM SAE 75W-90
- Delo Gear ESI SAE 80W-90



## Coolant System

- Delo ELC Antifreeze/Coolant
- Delo XLC Antifreeze/Coolant

## Clutch Bearings

- Delo Grease ESI® EP 2
- Delo Grease EP
- Delo Starplex® EP

## Transmissions (Manual & Automatic)

- Delo Syn-Trans XE SAE 50 (Manual)
- Delo Trans ESI SAE 40 (Manual)
- Delo Syn ATF HD (Automatic; TES-389)
- EMGARD 2805 (Allison TES-295)



## Grease Points, Rods, Pins & Bearings

- Delo Grease ESI® EP 2
- Delo Grease EP
- Delo Starplex EP



Available as ISOCLEAN® Certified

The product recommendations provide general guidelines for use in heavy-duty tow trucks. All manufacturers have different coolant and lubricant requirements and recommendations. It will be important to contact a Chevron representative or refer to the Original Equipment Manufacturer manual to confirm the proper product is used for the application. Visit [chevron-gsc.force.com/lubeteksupport](http://chevron-gsc.force.com/lubeteksupport) for confirmation of specific OEM specifications.



# Delo®

Let's go further.®

A Chevron company product

©2019 Chevron U.S.A. Inc. All rights reserved. All trademarks are property of Chevron Intellectual Property LLC or their respective owners.

DLBBHDTTST\_08-19




# Delo® Bumper-to-Bumper Protection for School Buses



## Engine Crankcase

- Delo 400 XSP SAE 5W-40
- Delo 400 XLE SAE 15W-40
- Delo 400 XLE SAE 10W-30
- Delo 400 SDE SAE 15W-40



## Coolant System

Delo ELC Antifreeze/Coolant  
Delo XLC Antifreeze/Coolant



## Grease Points, Rods, Pins & Bearings

Delo Grease ESI EP 2  
Delo Grease EP  
Delo Grease ESI HD EP  
Delo Starplex® EP

## Transmission (Automatic)

- Delo Syn ATF HD  
EMGARD 2805 (Allison TES-295)



## Differentials & Axles

- Delo Gear ESI® SAE 80W-90
- Delo Syn-Gear XDM SAE 75W-90
- Delo Syn-Gear HD SAE 75W-90



Available as ISOCLEAN® Certified

The product recommendations provide general guidelines for use in school buses. All manufacturers have different coolant and lubricant requirements and recommendations. It will be important to contact a Chevron representative or refer to the Original Equipment Manufacturer manual to confirm the proper product is used for the application. Visit [chevron-gsc.force.com/lubteksupport](http://chevron-gsc.force.com/lubteksupport) for confirmation of specific OEM specifications.

**Delo®**  
Let's go further.®

A Chevron company product

©2019 Chevron U.S.A. Inc. All rights reserved. All trademarks are property of Chevron Intellectual Property LLC or their respective owners.

DLBBPTRSBST\_08-19